PACKAGING RECYCLABILITY GUIDE Enhancing packaging recyclability through informed label choices.



UPM



RECYCLABILITY the new standard

PACKAGING RECYCLABILITY GUIDE 2

Thinking of packaging as a one-time resource is history.

Today's packaging focuses on circularity. Soon, all packaging in European markets will face legislative requirements for both recyclability and recycled content, adding to the existing pressure from consumers and other stakeholders to operate more sustainably. Many companies have already made voluntary commitments to targets such as using 100% recyclable, reusable, or compostable packaging. However, no harmonized definition of recyclable packaging currently exists for the industry globally.

This guide aims to support stakeholders in the fast-moving consumer goods (FMCG) packaging value chain with information that can help them navigate the complex web of guidelines, definitions, and criteria that affect their decisionmaking, highlighting practical information related to packaging design and recyclability.

WHY RECYCLE?

- EXTENDED PRODUCER RESPONSIBILITY (EPR) SCHEMES
- WHAT DOES IT MEAN TO BE RECYCLABLE?
- THIS IS HOW

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- SUMMARY TABLE
- CHECKLIST FOR MORE SUSTAINABLE PACKAGING
- HOW TO IMPROVE PACKAGING SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC
- WHAT NEXT? 9.

LABELS are a vital part of packaging design, providing must-have information about products, from ingredients and instructions to guidelines for safe usage and recycling. The optimal labels not only carry out these functions effectively, they also serve as primary vehicles for brand marketing, delivering powerful messages about the company behind the product.

In today's market, a brand's commitment to sustainability directly correlates with its potential for lasting success, as legislation and consumer demand both continue to drive a shift toward more sustainable options. At the same time, challenges related to our environment and natural resource use require increasingly innovative solutions. These factors make the recyclability of packages and their labels a crucial consideration.

It's important to note that a product's characteristics and end-use conditions significantly influence the requirements for both the packaging and the label material. This consideration spans the entire lifecycle of the product, starting from the filling lines to its placement on store shelves and eventually to the homes of consumers. Labels are designed to stay firmly attached and maintain their functionality throughout the product's lifecycle. For instance, in the case of a shampoo container, the label material must adhere effectively even in moist and warm conditions, ensuring that the label remains intact and legible for the user.

Disclaimer: Published in September 2024, this guide reflects our understanding of recyclability at that time. In the rapidly evolving regulatory landscape, it may not account for subsequent regulatory changes, and should not be considered as a legally binding document or a comprehensive compliance tool.

1. WHY RECYCLE?

- 2. EXTENDED PRODUCER RESPONSIBILITY (EPR) SCHEMES
- 3. WHAT DOES IT MEAN TO BE RECYCLABLE?
- 4. THIS IS HOW

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- 5. SUMMARY TABLE
- 6. CHECKLIST FOR MORE SUSTAINABLE PACKAGING
- 7. HOW TO IMPROVE PACKAGING SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- 8. ABOUT UPM RAFLATAC
- 9. WHAT NEXT?

WHY recycle?

Our conventional linear economy, which largely relies on a "take-makewaste" model of production and consumption, has put a heavy strain on our planet, threatening the health of communities and ecosystems and using resources faster than they can be replenished.

Countless organizations and experts agree that we must transition to a more circular economy in which resources are preserved and waste is minimized and in which reuse and recycling play a key role.

PACKAGING RECYCLABILITY GUIDE 4



Source: European Commission, Circular economy: New rules on Packaging and Packaging Waste, 2022



WHY RECYCLE? 1.

- EXTENDED PRODUCER 2. **RESPONSIBILITY (EPR) SCHEMES**
- WHAT DOES IT MEAN 3. TO BE RECYCLABLE?
- THIS IS HOW 4.

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- SUMMARY TABLE 5
- CHECKLIST FOR MORE 6. SUSTAINABLE PACKAGING
- HOW TO IMPROVE PACKAGING 7. SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC 8
- WHAT NEXT? 9.

When packages are designed to be reused, recycled, or contain fewer material inputs, numerous benefits emerge:

- Fewer natural resources are needed for raw materials, also reducing the amount of energy and emissions associated with extracting them
- Reducing natural resource use helps to minimize biodiversity impact
- End-of-life emissions associated with landfills and incineration can be avoided
- Consumers are empowered to make choices that have reduced environmental impact

PACKAGING RECYCLABILITY GUIDE 5

Compared to using virgin raw materials:¹



Recycling plastics can lead to a 37% reduction in CO₂e emissions



Recycling paper & cardboard can lead to a 37% reduction in CO₂e emissions



Recycling glass can lead to a 41% reduction in CO₂e emissions



Recycling aluminum can lead to a 96% reduction in CO₂e emissions

- 1. WHY RECYCLE?
- 2. EXTENDED PRODUCER RESPONSIBILITY (EPR) SCHEMES
- 3. WHAT DOES IT MEAN TO BE RECYCLABLE?
- 4. THIS IS HOW

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- 5. SUMMARY TABLE
- 6. CHECKLIST FOR MORE SUSTAINABLE PACKAGING
- 7. HOW TO IMPROVE PACKAGING SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- 8. ABOUT UPM RAFLATAC
- 9. WHAT NEXT?

EXTENDED Producer Responsibility (EPR) schemes

Across many industries and packaging types, a strong business case also exists for packaging recyclability. This is especially true where extended producer responsibility (EPR) schemes are in use. All EU countries must have EPR systems in place for packaging by the end of 2024 and the UN Plastic Treaty will potentially drive global EPR adoption.

PACKAGING RECYCLABILITY GUIDE 6

Using EPR to incentivize investment in more circular packaging solutions is a key aspect of the EU Packaging and Packaging Waste Regulation (PPWR), which establishes EU-wide requirements for recyclability and reduced packaging waste. PPWR will make recyclability a market access condition and in addition it will require Member States to implement ecomodulation in EPR fees based on recyclability grade of the packaging.

In EPR systems producers and importers are responsible for the management of the end of life of their packaging. Producer Responsibility Organisation (PRO) operate the system, including managing the EPR fees, contracting waste management operators and engaging obligated companies. EPR schemes introduce fees for companies based on the environmental impact of their products and packaging, often assessing higher fees for packaging that is more challenging or costly to recycle. EPR fees should be used to fund packaging waste management related activities. Currently, in some countries EPR fees are based on the packaging material type, whereas in some countries EPR fees are already based on more detailed design for recycling requirements.

By designing for recyclability, businesses can potentially avoid or reduce EPR fees.



- WHY RECYCLE?
- EXTENDED PRODUCER 2. **RESPONSIBILITY (EPR) SCHEMES**

WHAT DOES IT MEAN 3. **TO BE RECYCLABLE?**

THIS IS HOW 4

> PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- SUMMARY TABLE
- CHECKLIST FOR MORE 6. SUSTAINABLE PACKAGING
- HOW TO IMPROVE PACKAGING 7. SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC
- WHAT NEXT? 9

WHAT does it mean to be recyclable?

	Ę
Designed for recycling	Collected
2030	

| 7

There are multiple definitions for packaging recyclability, but in the EU area this will be harmonized with PPWR coming into force. Generally, recyclability includes packaging design for recycling and existing infrastructure for the packaging material waste stream from collection, sorting, reprocessing to utilization of the recycled material in new products.

Packaging can be considered recyclable if it is



- WHY RECYCLE?
- EXTENDED PRODUCER 2. **RESPONSIBILITY (EPR) SCHEMES**

WHAT DOES IT MEAN 3. **TO BE RECYCLABLE?**

THIS IS HOW

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- SUMMARY TABLE
- CHECKLIST FOR MORE SUSTAINABLE PACKAGING
- HOW TO IMPROVE PACKAGING 7. SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC
- WHAT NEXT? 9

Currently several different Design for Recycling (DfR) guidelines exist in the EU region, e.g. RecyClass, CEFLEX, 4Evergreen, CHI etc. that can be used to guide and prove packaging compatibility with recycling. In addition, there are national requirements, e.g. local EPR schemes, which may have their own requirements or they can also refer to these non-national guidelines. Challenge with current guidelines is that they are not harmonized and may even have conflicting requirements for labels.

Harmonization will come with PPWR. Recyclability according to PPWR definition is "the compatibility of packaging with the management and processing of waste by design, based on separate collection, sorting in separate streams, recycling at scale, and use of recycled materials to replace primary raw materials". What does this mean in practice? There are 2 step requirements packaging must meet to show compliance with recyclability requirement:

Packaging is designed for recycling and the resulting secondary raw materials are of sufficient quality to substitute primary raw materials, e.g in packaging. Energy

recovery, reprocessing into fuels and biological treatment (e.g composting) are excluded. The European Commission will establish Design for Recycling criteria that must be met to show compliance with this step by 2030 or 2 years after the secondary legislation defining DfR entry into force, whichever is later. This will be the one Design for Recycling criteria for the whole EU area in future, covering a wide range of packaging materials.

PACKAGING RECYCLABILITY GUIDE 8



Packaging waste should be separately collected, sorted into specific waste streams without affecting the recyclability of other waste streams and recycled at scale. The European commission will set out a methodology to assess the

recyclability at scale of different packaging material categories and in addition to set thresholds related to annual recycled packaging materials. Assessment will be based at least on the quantities of packaging placed on the market and quantities of packaging recycled. To show compliance with the recycled at scale requirement, packaging materials must meet the set threshold by 2035 or 5 years after the secondary legislation defining methodology entry in the force.



- WHY RECYCLE?
- 2. EXTENDED PRODUCER **RESPONSIBILITY (EPR) SCHEMES**

WHAT DOES IT MEAN 3. **TO BE RECYCLABLE?**

THIS IS HOW 4.

> PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- SUMMARY TABLE 5
- CHECKLIST FOR MORE 6. SUSTAINABLE PACKAGING
- HOW TO IMPROVE PACKAGING 7. SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC 8
- WHAT NEXT? 9.

While packaging creators should design for recycling based on applicable requirements and guidelines, they should know that recyclability also depends on external factors such as available infrastructure.

Understanding what is truly recyclable is the first step in optimizing packaging for sustainability while avoiding greenwashing claims and regulatory missteps. External verifications based on recyclability testing are valuable proof points when looking for recycling compatible packaging components and also for final packaging.

An item is recyclable per The Association of Plastic Recyclers (APR) definition when the following three conditions are met:

PACKAGING RECYCLABILITY GUIDE 9

At least 60% of consumers or communities have access to a collection system that accepts the item.



sorted correctly into a market-ready bale of a particular plastic meeting industry standard specifications, through commonly used material recovery systems, including single-stream and dual stream MRFs, PRF's, systems that handle deposit system containers, grocery store rigid plastic and film collection systems.

The item can be further processed through a typical recycling process cost effectively into a postconsumer plastic feedstock suitable for use in identifiable new products.



1. WHY RECYCLE?

- 2. EXTENDED PRODUCER RESPONSIBILITY (EPR) SCHEMES
- 3. WHAT DOES IT MEAN TO BE RECYCLABLE?

4. THIS IS HOW

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- 5. SUMMARY TABLE
- 6. CHECKLIST FOR MORE SUSTAINABLE PACKAGING
- 7. HOW TO IMPROVE PACKAGING SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- 8. ABOUT UPM RAFLATAC
- 9. WHAT NEXT?



PACKAGING RECYCLABILITY GUIDE 10

THIS is how

Enhance recyclability with informed labeling choices tied to packaging materials

> Many types of packaging materials exist to account for a wide range of factors. These factors include the physical properties of the product (e.g., liquid vs solid or hot vs cold), processing requirements (e.g., pasteurization, packing efficiency), storage and logistics conditions, durability, number of uses, and many more. In the following sections, we introduce the most common packaging materials used in the fast-moving consumer goods (FMCG) and highlight important considerations regarding their recyclability.



- WHY RECYCLE?
- 2. EXTENDED PRODUCER **RESPONSIBILITY (EPR) SCHEMES**
- WHAT DOES IT MEAN 3. TO BE RECYCLABLE?
- THIS IS HOW 4

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- SUMMARY TABLE 5
- CHECKLIST FOR MORE 6. SUSTAINABLE PACKAGING
- HOW TO IMPROVE PACKAGING 7. SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC 8
- WHAT NEXT? 9.

The high demand for PET in packaging owes to its lightweight nature, material properties, and convenience. PET containers can be recyclable and reusable, aligning with the circular economy principles to reduce waste and resource consumption. However, the widespread use of PET, particularly in single-use applications, contributes substantially to plastic pollution and its adverse effects on the environment. In addition to concern over environmental impact, evolving regulations around single-use plastics as well as the increasing demand for recycled PET (rPET) contribute to a need for brand owners and packaging designers to maximize the recyclability of PETbased packages.

RECYCLING CONSIDERATIONS:

There are three types of PET bottles, with the majority being transparent clear and blue, around one fifth being transparent colored, and a small percentage being opaque. Transparent clear bottles, primarily used for

beverages, can be recycled in a closed-loop system, which only allows a small percentage of input materials to be non-food contact material. However, most recycled bottles are downcycled into non-bottle items like straps, fibers, and trays (this includes all transparent colored bottles and a portion of transparent clear bottles). Opaque bottles, with limited collection schemes, often contaminate clear PET recycling and are usually directed to landfills or incineration. PET trays and cups are often mixed with other plastics and are undesirable for bottle recycling due to quality issues, leading mostly to landfill or incineration. Recycling infrastructure for trays and cups is still developing, with low recycling rates attributed to inadequate collection and sorting facilities and the challenge of multi-material products. PET recycling involves a hot-wash process to separate labels, which are usually discarded. Emerging recycling processes for PET trays and clamshells use a similar method.

PACKAGING RECYCLABILITY GUIDE

MATERIAL: PET (Polyethylene terephthalate)

Common Applications: BEVERAGE BOTTLES

FOOD CONTAINERS AND TRAYS

CLEANING SOLUTION BOTTLES

PERSONAL CARE BOTTLES

٦	-	
_	-	_

- WHY RECYCLE?
- EXTENDED PRODUCER 2. **RESPONSIBILITY (EPR) SCHEMES**
- WHAT DOES IT MEAN 3. TO BE RECYCLABLE?
- THIS IS HOW 4.

PET (POLYETHYLENE **TEREPHTHALATE**)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- SUMMARY TABLE 5.
- CHECKLIST FOR MORE 6. SUSTAINABLE PACKAGING
- HOW TO IMPROVE PACKAGING 7. SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC 8
- WHAT NEXT? 9.

GENERAL REQUIREMENTS FOR SELF-ADHESIVE LABELS:

PET BOTTLES:

To enhance recyclability, labels should have a density less than 1g/ cm³, usually made of PP or PE, with some guidelines accepting wetstrength and standard papers. The adhesive should be alkali wash-off, effective at temperatures above 80°C, sometimes lower at 60°C. It's crucial that no adhesive residues remain on the flakes. Some guidelines demand non-reactivating adhesives, posing challenges for self-adhesive labels. Without proper wash-off adhesives or processes, labels can negatively impact the quantity and quality of recycling, often due to printing inks.

PET TRAYS AND CUPS:

To enhance recyclability, labels should have a density below 1g/cm³, typically made of PP or PE materials, but not PET. Some guidelines accept wet-strength and standard papers, with a preference for BPA-free paper. The labels must use alkali wash-off adhesive that operates effectively between 60-85°C. It's essential that these adhesives leave no residues on the flakes after the recycling process.

SUGGESTED **SOLUTIONS FROM UPM RAFLATAC PORTFOLIO:**

SmartCircle[™] wash-off label materials:

PACKAGING RECYCLABILITY GUIDE 12

• <u>PP & PE labels with RW85C (cyclos-HTP and APR) and RW65C adhesives (cyclos-HTP)</u> • Carbon Action PP UCO with RW307 & RW704 adhesives (cyclos-HTP) • PureCycle paper labels with RWP5 adhesive (cyclos-HTP) • Paper labels with RP45 and RP45 AT adhesive (Nordic DRS systems)



- WHY RECYCLE?
- 2. EXTENDED PRODUCER **RESPONSIBILITY (EPR) SCHEMES**
- WHAT DOES IT MEAN 3. TO BE RECYCLABLE?
- THIS IS HOW 4

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY **POLYETHYLENE AND POLYPROPYLENE)**

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- SUMMARY TABLE
- CHECKLIST FOR MORE 6. SUSTAINABLE PACKAGING
- HOW TO IMPROVE PACKAGING 7. SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC
- WHAT NEXT? 9.

MATERIAL: HDPE and PP (High-Density Polyethylene and Polypropylene)

HDPE and PP are widely recognized for their versatility and durability in rigid packaging solutions. HDPE is known for its strength, impact resistance, and ability to withstand low temperatures, making it ideal for a variety of packaging needs, while PP is celebrated for its durability, high-temperature resistance, and excellent surface finish. PP's optical clarity and low moisture transmission also make it suitable for food packaging and personal care products. The market trends for HDPE and PP in packaging reveal significant growth and demand. The global HDPE packaging market size was valued at USD 17.10 billion in 2022 and is projected to be worth USD 17.96 billion in 2023 and reach USD 26.25 billion by 2030, exhibiting a CAGR of 5.57% during the forecast period.²

Most rigid HDPE and PP plastic packaging is downcycled into lower-grade materials like tubes, fences, and bins, where color and odor are less critical. Some closedloop systems produce higher-quality recyclates, including color sorting. HDPE bottles can be recycled back into bottles, and meeting contact sensitive packaging standards for cosmetic and even foodgrade, like UK milk bottles. White and natural flakes often meet the highest quality requirements.

PACKAGING RECYCLABILITY GUIDE

RECYCLING CONSIDERATIONS:

Common Applications: **DETERGENT BOTTLES MILK BOTTLES** SHAMPOO AND SOAP BOTTLES **ICE CREAM PACKS**

٦	0
	.న
-	

- WHY RECYCLE?
- EXTENDED PRODUCER 2. **RESPONSIBILITY (EPR) SCHEMES**
- WHAT DOES IT MEAN 3. TO BE RECYCLABLE?
- THIS IS HOW 4.

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY **POLYETHYLENE AND POLYPROPYLENE)**

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- SUMMARY TABLE 5
- CHECKLIST FOR MORE 6. SUSTAINABLE PACKAGING
- HOW TO IMPROVE PACKAGING 7. SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC 8
- WHAT NEXT? 9.

GENERAL REQUIREMENTS FOR SELF-ADHESIVE LABELS:

To optimize recyclability in bottle-to-bottle recycling processes for HDPE and PP rigid packaging, it's essential to address label removability during recycling. New studies show that labels can be removed already in the grinding phase, where bottles are made into smaller flakes. The typical process continues with cold-wash, but incorporating hot-wash, sink-float, and air elutriation stages can further enhance label separation, improving recyclate quality.

Design for recycling guidelines consider both adhesive and face material. Adhesive compatibility is crucial; adhesives must either be compatible with PE/PP recyclate or easily removed during grinding or washing in cold water (~40°C). For PP and PE labels, guidelines typically recommend adhesives that are separated during the recycling process or approved non-releasable adhesives. PET labels and paper labels generally require adhesives that can be separated. Paper labels can be either wet strength or standard paper, depending on the specific guideline requirements.

SUGGESTED **SOLUTIONS FROM UPM RAFLATAC PORTFOLIO:**

SmartCircle[™] label materials:

PACKAGING RECYCLABILITY GUIDE 14



 New Wave paper labels with RWP40 adhesive (RecyClass) Carbon Action PP UCO with RP307 & RP704 adhesives (RecyClass) • <u>SmartCircle™ PE and PP label selection (RecyClass)</u> <u>PureCycle paper labels with RWP5 adhesive (cyclos-HTP)</u>



- WHY RECYCLE?
- 2. EXTENDED PRODUCER **RESPONSIBILITY (EPR) SCHEMES**
- WHAT DOES IT MEAN 3. TO BE RECYCLABLE?
- THIS IS HOW 4

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- SUMMARY TABLE
- CHECKLIST FOR MORE 6. SUSTAINABLE PACKAGING
- HOW TO IMPROVE PACKAGING 7. SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC
- WHAT NEXT? 9.

MATERIAL: PE FILMS (Polyethylene)

Ethylene can also be polymerized into low-density polyethylene which is a main raw material for PE films. Like HDPE it is recyclable but offers different attributes for packaging due to it having a highly branched molecular structure. LDPE is known for providing toughness and flexibility while also being lightweight, making it ideal for flexible packaging applications. In addition to the versatile mechanical properties, it is also heatsealable.

RECYCLING CONSIDERATIONS:

PE films are sorted into a different recycling stream than rigid HDPE packages as it is not intended to mix the differently structured polymers in large quantities. It can be recycled into new films and bags, but downcycling into other plastic applications such as composite lumber and furniture is common.

As LDPE based packages are mainly thin films, they are very close to labels in mass. This means that mass-based sorting methods such as air elutriation can't separate labels from the PE films. Due to this recycling compatibility or wash-off adhesives are crucial to secure high recyclate quality. Like HDPE, washing temperature for LDPE is below 40°C. Monomaterial approach is recommended with either compatible or wash-off adhesives. Some design for recycling guidelines also acknowledge that removable labels made of paper or polypropylene can be separated from the PE films and thus won't hinder final recyclate quality.

SUGGESTED **SOLUTIONS FROM UPM RAFLATAC PORTFOLIO:**

SmartCircle[™] label materials: SmartCircle[™] PE label selection (RecyClass)

PACKAGING RECYCLABILITY GUIDE 15

GENERAL REQUIREMENTS FOR SELF-ADHESIVE LABELS:

Common Applications: FLEXIBLE PACKAGING **GROCERY BAGS MAILER BAGS PACKAGING WRAP**

PE FILMS



- WHY RECYCLE?
- 2. EXTENDED PRODUCER **RESPONSIBILITY (EPR) SCHEMES**
- WHAT DOES IT MEAN 3. TO BE RECYCLABLE?
- THIS IS HOW 4

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- SUMMARY TABLE 5
- CHECKLIST FOR MORE 6. SUSTAINABLE PACKAGING
- HOW TO IMPROVE PACKAGING 7. SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC
- WHAT NEXT? 9.

MATERIAL: Fiber-based

Fiber-based packaging market is witnessing a boom and is forecasted to grow by around 5% for the next five years, largely driven by environmental concerns related to single-use plastic packaging, brand owner sustainability goals, and the changing regulatory landscape. Molded fiber packaging is one of the fastest-growing segments. Fiber based packaging is made primarily from renewable materials and has high recycling rates. Current recycling levels are around 80% and are expected to reach over 90% in some countries soon.³ Certification systems for the fiber origin of sustainable packaging are crucial in verifying the responsible sourcing of fibers.

> **Common Applications: CEREAL BOXES SHIPPING CARTONS BEVERAGE CARTONS FLEXIBLE BAGS** & POUCHES **EGG CARTONS**

Fiber-based packaging, like cardboard boxes, has a high recycling rate and is collected through either paper and board or lightweight packaging streams. The varied types of fiber-based packaging require distinct recycling methods for effective material recovery:

1. Standard mills handle old corrugated containers and mixed paper, resulting in brownish pulp.

2. Deinking mills recycle paper and board from white substrates, producing white pulp. Capable of removing printing inks.

3. Specialized mills tackle more intricate fiber-based packaging, including liquid packaging board.

The designation of fiber packaging to various types of recycling mills is largely influenced by each country's national infrastructure for collecting and sorting paper waste.⁴

PACKAGING RECYCLABILITY GUIDE 16

BERBASE

RECYCLING CONSIDERATIONS:



- WHY RECYCLE?
- EXTENDED PRODUCER 2. **RESPONSIBILITY (EPR) SCHEMES**
- WHAT DOES IT MEAN 3. TO BE RECYCLABLE?
- THIS IS HOW 4.

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- SUMMARY TABLE 5
- CHECKLIST FOR MORE 6. SUSTAINABLE PACKAGING
- HOW TO IMPROVE PACKAGING 7. SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC 8
- 9. WHAT NEXT?

GENERAL REQUIREMENTS FOR SELF-ADHESIVE LABELS:

The recycling process is designed to handle contaminations, removing non-paper components through multiple screening and cleaning stages. However, criteria to design for recycling are under development. Process typically screens out plastic labels and adhesives. Standard paper labels on cardboard boxes can be recycled using current methods, and the fibers from these labels often increase the yield of the recycled material.

For paper-based packaging labels, using adhesives that are removable during fiber recycling improves the process, especially for paper products. Standard paper labels are preferred. However, plastic labels and wet-strength papers, when used in small quantities, can still be managed effectively in standard fiber recycling processes.

SUGGESTED **SOLUTIONS FROM UPM RAFLATAC PORTFOLIO:**

SmartChoice[™] label materials:



• Paper labels with recycling compatible adhesives for fiber packaging (Papiertechnische Stiftung (PTS)) <u>A lower carbon RAFNXT+ paper labels</u>

• Screenable paper labels compatible with the fine paper stream (Ingede)

- WHY RECYCLE?
- 2. EXTENDED PRODUCER **RESPONSIBILITY (EPR) SCHEMES**
- WHAT DOES IT MEAN 3. TO BE RECYCLABLE?
- THIS IS HOW 4

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- SUMMARY TABLE 5.
- CHECKLIST FOR MORE 6. SUSTAINABLE PACKAGING
- 7. HOW TO IMPROVE PACKAGING SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC 8
- WHAT NEXT? 9.

MATERIAL: Glass

The glass packaging market is experiencing significant growth, driven by various factors including an increasing demand for healthy, safe, and recyclable/reusable packaging for food and beverages. The global market for glass packaging is projected to reach a valuation of USD 80 billion by 2030, compared to only USD 52 billion in 2021.⁵ Globally, around 33% of container glass (as opposed to flat glass) is recycled, but rates in Europe are much higher (up to 95%), due mainly to extensive recycling infrastructure and legislation.⁶ An increasing number of glass packages are also designed to be reused to support a more circular packaging economy.

Glass jars and bottles are infinitely recyclable based on well-established and efficient processes. In recycling glass packaging is crushed, and the resulting glass cullets are melted to be used as glass again. High share (91% in Europe) of collected glass packaging is recycled in closed loop to packaging. Other uses for recycled glass are open loop glass recycling e.g. in glass foam and glass wool or open loop recycling without melting e.g. for construction materials or filtration media. Introducing 1 tonne of cullet into a glass furnace replaces approximately 1,2 tons of virgin raw materials.⁷

Glass recycling does not normally include washing, which is a step reserved solely for reusable glass. Glass packaging can be reused up to 50 times without deterioration.⁸

PACKAGING RECYCLABILITY GUIDE | 18

RECYCLING CONSIDERATIONS:

Common Applications: WINE AND SPIRITS BOTTLES **FOOD JARS BEVERAGE BOTTLES** COSMETIC **CONTAINERS**



- WHY RECYCLE?
- EXTENDED PRODUCER 2. **RESPONSIBILITY (EPR) SCHEMES**
- WHAT DOES IT MEAN 3. TO BE RECYCLABLE?
- THIS IS HOW 4.

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- SUMMARY TABLE
- CHECKLIST FOR MORE 6. SUSTAINABLE PACKAGING
- HOW TO IMPROVE PACKAGING 7. SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC 8
- WHAT NEXT? 9.

GENERAL REQUIREMENTS FOR SELF-ADHESIVE LABELS:

Glass recycling is removing labels efficiently, but the specific design for recycling criteria for glass packaging are still under development. During recycling, labels on glass may degrade due to humidity and are removed by abrasive effects of glass particles in the dry washing stage in a rotating drum. Melting process deals with a large portion of contaminants and labels ending there would be typically burnt off.

In reuse of glass packaging, the washing process is removing the labels before the next life cycle. Wash-off label solutions designed for glass reuse separate cleanly from the packaging and are necessary to ensure efficient reuse.

SUGGESTED **SOLUTIONS FROM UPM RAFLATAC PORTFOLIO TO** SUPPORT REUSE:

SUGGESTED **SOLUTIONS FROM UPM RAFLATAC** PORTFOLIO **TO SUPPORT RECYCLING:**

<u>UPM Raflatac SmartChoice[™] paper</u> and plastic label materials with standard adhesives

PACKAGING RECYCLABILITY GUIDE 19

SmartCircle[™] wash-off label materials: PureCycle paper labels with RWP5 adhesive Plastic labels with RW760 wash-off adhesive • Wet-strength paper labels with RP30W wash-off adhesive





- WHY RECYCLE?
- EXTENDED PRODUCER 2. **RESPONSIBILITY (EPR) SCHEMES**
- WHAT DOES IT MEAN 3. TO BE RECYCLABLE?
- THIS IS HOW 4

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- SUMMARY TABLE 5
- CHECKLIST FOR MORE 6. SUSTAINABLE PACKAGING
- HOW TO IMPROVE PACKAGING 7. SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC
- WHAT NEXT? 9

MATERIAL: Aluminum

Aluminum packaging is lightweight, making it cost-effective for transport and storage. One of the most remarkable properties of aluminum is its ability to act as a complete barrier against light, gasses and moisture so aluminum packaging is often favored when strong barrier properties are needed. Furthermore, its versatility allows it to be used in various forms, from cans to foil closures. Its widespread use, especially in single-use applications, necessitates a focus on recyclability to mitigate environmental concerns.

RECYCLING CONSIDERATIONS:

Aluminum is known for being infinitely recyclable, with 75% of all aluminum ever produced still in use today. Recycling rate for metal packages varies widely by region, with Europe leading the way.⁹ The overall recycling rate for aluminum beverage cans in the European Union, United Kingdom, Switzerland, Norway and Iceland went up by 3.2% to a new record level of 76%

> SUGGESTED **SOLUTIONS FROM UPM RAFLATAC PORTFOLIO:**

(76.1%) in 2021.¹⁰ The recycling process for aluminum is well-established and relies mostly on melting, during which most contaminants are removed. However, larger amounts of non-aluminum materials may hinder recycling efficiency.

GENERAL REQUIREMENTS FOR SELF-ADHESIVE LABELS:

Despite printed cans being the preferred solution from a recyclability perspective, the minimum practical order quantity is often too high, especially for craft beverage producers. Self-adhesive labels serve as a practical alternative. In the context of aluminum recycling in Europe, there are no specific label requirements. However, it is recommended to use thin labels with less material to result in less label material in the recycling process. It's crucial to verify local preferences as some regions, like Quebec province in Canada, mandate the use of paper labels for cans, prohibiting plastic labels.

- <u>Vanish PCR</u>
- RAFNXT+ paper labels

⁹ Source, ¹⁰ Source

PACKAGING RECYCLABILITY GUIDE 20

SmartChoice[™] label materials:

Common Applications:

CARBONATED **BEVERAGE CANS AEROSOL SPRAYS FOOD CANS & TINS**



- WHY RECYCLE?
- 2. EXTENDED PRODUCER **RESPONSIBILITY (EPR) SCHEMES**
- WHAT DOES IT MEAN 3. TO BE RECYCLABLE?
- THIS IS HOW 4

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

SUMMARY TABLE 5.

- CHECKLIST FOR MORE 6. SUSTAINABLE PACKAGING
- HOW TO IMPROVE PACKAGING 7. SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC
- WHAT NEXT? 9.

PACKAGING material table and checklist

• Beverage bottles

- Food containers and trays
- Cleaning solution bottles
- Personal care bottles

PET BOTTLES:

COMMON APPLICATIONS

GENERAL REQUIREMENTS FOR SELF-ADHESIVE LABELS

To enhance recyclability, labels should have a density less than 1g/ cm³, usually made of PP or PE, with some guidelines accepting wetstrength and standard papers.

PET

The adhesive should be alkali wash-off, effective at temperatures above 80°C, sometimes lower at 60°C. It's crucial that no adhesive residues remain on the flakes. Some guidelines demand non-reactivating adhesives, posing challenges for self-adhesive labels. Without proper wash-off adhesives or processes, labels can negatively impact the quantity and quality of recycling, often due to printing inks.

PET TRAYS AND CUPS:

To enhance recyclability, labels should have a density below 1g/ cm³, typically made of PP or PE materials, but not PET. Some guidelines accept wet-strength and standard papers, with a preference for BPAfree paper.

The labels must use alkali wash-off adhesive that operates effectively between 60-85°C. It's essential that these adhesives leave no residues on the flakes after the recycling process.

SmartCircle[™] wash-off label materials:

- <u>PP & PE labels with RW85C (cyclos-HTP and APR)</u> and RW65C adhesives (cyclos-HTP)
- <u>Carbon Action PP UCO with RW307 & RW704</u> <u>adhesives (cyclos-HTP)</u>
- PureCycle paper labels with RWP5 adhesive (cyclos-HTP)
- Paper labels with RP45 and RP45 AT adhesive (Nordic DRS systems)

JTIONS FROM PORTFOLIO SUGGESTED SOLI UPM RAFLATAC

PACKAGING RECYCLABILITY GUIDE

PE FILMS

HDPE & PP rigid

• Detergent bottles

- Milk bottles
- Shampoo and soap bottles
- Ice cream packs

- Flexible packaging
- Grocery bags
- Mailer bags
- Packaging wrap

To optimize recyclability in bottle-to-bottle recycling processes for HDPE and PP rigid packaging, it's essential to address label removability during recycling. New studies show that labels can be removed already in the grinding phase, where bottles are made into smaller flakes. The typical process continues with cold-wash, but incorporating hotwash, sink-float, and air elutriation stages can further enhance label separation, improving recyclate quality.

Design for recycling guidelines consider both adhesive and face material. Adhesive compatibility is crucial; adhesives must either be compatible with PE/PP recyclate or easily removed during grinding or washing in cold water (~40°C). For PP and PE labels, guidelines typically recommend adhesives that are separated during the recycling process or approved non-releasable adhesives. PET labels and paper labels generally require adhesives that can be separated. Paper labels can be either wet strength or standard paper, depending on the specific guideline requirements.

As LDPE-based packages are mainly thin films, they are very close to labels in mass. This means that mass-based sorting methods such as air elutriation can't separate labels from the PE films. Due to this recycling compatibility or wash-off adhesives are crucial to secure high recyclate quality.

Like HDPE, the washing temperature for LDPE is below 40°C. A monomaterial approach is recommended with either compatible or wash-off adhesives.

Some design for recycling guidelines also acknowledge that removable labels made of paper or polypropylene can be separated from the PE films and thus won't hinder final recyclate quality.

SmartCircle[™] label materials:

- New Wave paper labels with RWP40 adhesive (RecyClass)
- <u>Carbon Action PP UCO with RP307 & RP704 adhesives (RecyClass)</u>
- SmartCircle[™] PE and PP label selection (RecyClass)
- PureCycle paper labels with RWP5 adhesive (cyclos-HTP)

SmartCircle[™] label materials:

SmartCircle[™] PE label selection (RecyClass)





- WHY RECYCLE?
- 2. EXTENDED PRODUCER **RESPONSIBILITY (EPR) SCHEMES**
- WHAT DOES IT MEAN 3. TO BE RECYCLABLE?
- THIS IS HOW 4

PET (POLYETHYLENE **TEREPHTHALATE**)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

SUMMARY TABLE 5.

- CHECKLIST FOR MORE 6. SUSTAINABLE PACKAGING
- HOW TO IMPROVE PACKAGING 7. SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC 8
- WHAT NEXT? 9.

PACKAGING material table and checklist

FIBER-BASED

- Cereal boxes
- Shipping cartons
- Beverage cartons
- Flexible bags & pouches
- Egg cartons

GENERAL REQUIREMENTS OR SELF-ADHESIVE LABELS

COMMON APPLICATION

The recycling process is designed to handle contaminations, removing non-paper components through multiple screening and cleaning stages. However, criteria to design for recycling are under development.

The process typically screens out plastic labels and adhesives. Standard paper labels on cardboard boxes can be recycled using current methods, and the fibers from these labels often increase the yield of the recycled material.

For paper-based packaging labels, using adhesives that are removable during fiber recycling improves the process, especially for paper products. Standard paper labels are preferred. However, plastic labels and wet-strength papers, when used in small quantities, can still be managed effectively in standard fiber recycling processes.

SmartChoice[™] label materials:

- Paper labels with recycling compatible adhesives for fiber packaging (Papiertechnische Stiftung (PTS))
- <u>A lower carbon RAFNXT+ paper labels</u>
- Screenable paper labels compatible with the fine paper stream (Ingede)

SOLUTIONS FROM ATAC PORTFOLIO SUGGESTED

PACKAGING RECYCLABILITY GUIDE

ALUMINUM

GLASS

- Wine and spirits bottles
- Food jars
- Beverage bottles
- Cosmetic containers

• Carbonated beverage cans

- Aerosol sprays
- Food cans & tins

Glass recycling is removing labels efficiently, but the specific design for recycling criteria for glass packaging are still under development.

During recycling, labels on glass may degrade due to humidity and are removed by abrasive effects of glass particles in the dry washing stage in a rotating drum. Melting process deals with a large portion of contaminants and labels ending there would be typically burnt off.

In reuse of glass packaging, the washing process is removing the labels before the next life cycle. Wash-off label solutions designed for glass reuse separate cleanly from the packaging and are necessary to ensure efficient reuse.

Despite printed cans being the preferred solution from a recyclability perspective, the minimum practical order quantity is often too high, especially for craft beverage producers. Self-adhesive labels serve as a practical alternative. In the context of aluminum recycling in Europe, there are no specific label requirements. However, it is recommended to use thin labels with less material to result in less label material in the recycling process.

It's crucial to verify local preferences as some regions, like Quebec province in Canada, mandate the use of paper labels for cans, prohibiting plastic labels.

RECYCLING:

<u>UPM Raflatac SmartChoice™ paper</u> and plastic label materials with standard adhesives

REUSE:

SmartCircle[™] wash-off label materials:

- <u>PureCycle paper labels with RWP5 adhesive</u>
- Plastic labels with RW760 wash-off adhesive
- Wet-strength paper labels with RP30W wash-off adhesive

SmartChoice[™] label materials:

- Vanish PCR
- RAFNXT+ paper labels



- 1. WHY RECYCLE?
- 2. EXTENDED PRODUCER RESPONSIBILITY (EPR) SCHEMES
- 3. WHAT DOES IT MEAN TO BE RECYCLABLE?
- 4. THIS IS HOW

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

5. SUMMARY TABLE

6. CHECKLIST FOR MORE SUSTAINABLE PACKAGING

- 7. HOW TO IMPROVE PACKAGING SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- 8. ABOUT UPM RAFLATAC
- 9. WHAT NEXT?

CHECKLIST for more sustainable packaging

1.

Ensure that the packaging meets the requirements to deliver the product safely and maintain its freshness, thereby minimizing product losses. For instance, many food and beverage products necessitate oxygen, moisture, or temperature barriers.

2.

Consideration of usage or storage environment requirements is crucial. For instance, personal care products like shampoo, which are often used or stored in wet conditions, must utilize moisture-resistant packaging.

PACKAGING RECYCLABILITY GUIDE

3.

Identify and implement pertinent Design for Recycling guidelines to improve the recyclability of packaging and the accessibility of recycled packaging materials. For example, adhere to national Extended Producer Responsibility (EPR) requirements. Alternatively, in the absence of such regulations, consider adopting European RecyClass or cyclos-HTP for plastic packaging or the 4evergreen guidelines for fiberbased packaging.



Ensure alignment with additional brand sustainability goals, such as the production of lower carbon footprint products and packaging.

5.

If you don't know, ask! Contact a local UPM Raflatac representative to learn more about increasing packaging sustainability with our SmartChoice and SmartCircle solutions.



- 1. WHY RECYCLE?
- 2. EXTENDED PRODUCER RESPONSIBILITY (EPR) SCHEMES
- 3. WHAT DOES IT MEAN TO BE RECYCLABLE?
- 4. THIS IS HOW

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- 5. SUMMARY TABLE
- 6. CHECKLIST FOR MORE SUSTAINABLE PACKAGING
- 7. HOW TO IMPROVE PACKAGING SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- 8. ABOUT UPM RAFLATAC
- 9. WHAT NEXT?

HOW to improve packaging sustainability: Make the Switch and Close the Loop

There are many great incentives for companies to make their product packaging more sustainable: the opportunity to drive long-term brand value, consumer demand, and regulatory pressure. But what role do labels play in making your packaging more sustainable?

Your label material choice can have a tangible impact on your packaging sustainability. Not only can you make a difference by choosing renewable raw materials and recycled materials, but also by enhancing your packaging recyclability. Labels, multiplied by millions of packages worldwide, have the potential to make a lasting difference.

We are passionate about enabling you to become a Changemaker through your labeling choices. In practice, there are two key approaches you can take to make your packaging more sustainable:

CLOSE THE PACKAGING MATERIALS LOOP.

Choose label solutions that support packaging recyclability and reuse, and prevent your label materials from ending up at landfills or being incinerated.

MAKE THE SWITCH TO MORE SUSTAINABLE LABEL SOLUTIONS.

Switch to reduce, switch to recycled and switch to renewable materials.

- WHY RECYCLE?
- EXTENDED PRODUCER 2. **RESPONSIBILITY (EPR) SCHEMES**
- WHAT DOES IT MEAN 3. TO BE RECYCLABLE?
- THIS IS HOW 4.

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- SUMMARY TABLE
- CHECKLIST FOR MORE 6. SUSTAINABLE PACKAGING
- **HOW TO IMPROVE PACKAGING** 7. SUSTAINABILITY: MAKE THE SWITCH **AND CLOSE THE LOOP**
- ABOUT UPM RAFLATAC 8
- WHAT NEXT? 9.

Label Life by **UPM** Raflatac

Look beyond the label with Label Life

Label Life helps you make informed and environmentally responsible decisions by providing essential Life Cycle Assessment (LCA) metrics on the sustainability of our products.

- Label Life is comprehensive, credible, and actionable.
- Cradle-to-grave models broken down into cradle-to-gate, transport to customer, printing, and end of life impacts.
- Focus on carbon, water, and energy, extended to include indicators as recommended by Product Environmental Footprint (PEF) guide.
- The LCA calculation principles were critically reviewed according to ISO 14040/44 and following ISO 14067, and the process of generating LCIA results was validated externally.

PACKAGING RECYCLABILITY GUIDE 25





- WHY RECYCLE?
- EXTENDED PRODUCER 2. **RESPONSIBILITY (EPR) SCHEMES**
- WHAT DOES IT MEAN 3. TO BE RECYCLABLE?
- THIS IS HOW 4.

PET (POLYETHYLENE TEREPHTHALATE)

HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)

PE FILMS (POLYETHYLENE)

FIBER-BASED

GLASS

ALUMINUM

- SUMMARY TABLE
- CHECKLIST FOR MORE 6 SUSTAINABLE PACKAGING
- **HOW TO IMPROVE PACKAGING** 7. SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC
- WHAT NEXT? 9

RafCycle[™] by **UPM**RAFLATAC

SUPPORT CIRCULARITY WITH RAFCYCLE

RafCycle[™] by UPM Raflatac is label release liner recycling at its easiest. Keep your release PET or paper liner waste in the circular economy by diverting it from incineration or landfill.

- Simply collect your label waste, and RafCycle takes care of the recycling process.
- With externally verified CO2 calculation method, RafCycle partners have access to credible information on the potential benefits of the RafCycle service.
- RafCycle translates into real business impact. From helping you reach your climate goals to crafting impactful marketing stories that showcase your sustainability efforts, RafCycle delivers.





- 2. EXTENDED PRODUCER
- - PET (POLYETHYLENE
 - HDPE AND PP (HIGH-DENSITY

 - FIBER-BASED
 - GLASS
- SUMMARY TABLE
- CHECKLIST FOR MORE SUSTAINABLE PACKAGING
- 7. HOW TO IMPROVE PACKAGING SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- 8. ABOUT UPM RAFLATAC
- 9. WHAT NEXT?

PACKAGING RECYCLABILITY GUIDE 27

About UPM RAFLATAC

Your partner in sustainable labeling

Labels matter, and by working with us you can ensure your company's place at the forefront of sustainable labeling and innovation. Together we can move the needle towards a more sustainable and circular world of labeling and packaging. UPM is one of the biggest forest industry companies in the world producing high value fibers, specialty packaging materials and molecular bioproducts. We develop new solutions beyond fossils that will replace oil-based and other nonrenewable materials with renewable alternatives. UPM Raflatac is part of UPM corporation.

UPM Raflatac offers high-quality self-adhesive paper and film products including label materials, graphics solutions and removable selfadhesive products. We are labeling a smarter future beyond fossils and our worldwide network of factories and terminals ensure that we can provide you with our world-class service wherever you are.



- WHY RECYCLE? 1
- EXTENDED PRODUCER 2. RESPONSIBILITY (EPR) SCHEMES
- WHAT DOES IT MEAN 3. TO BE RECYCLABLE?
- 4. THIS IS HOW
 - PET (POLYETHYLENE TEREPHTHALATE)
 - HDPE AND PP (HIGH-DENSITY POLYETHYLENE AND POLYPROPYLENE)
 - PE FILMS (POLYETHYLENE)
 - FIBER-BASED
 - GLASS
 - ALUMINUM
- SUMMARY TABLE
- CHECKLIST FOR MORE SUSTAINABLE PACKAGING
- HOW TO IMPROVE PACKAGING SUSTAINABILITY: MAKE THE SWITCH AND CLOSE THE LOOP
- ABOUT UPM RAFLATAC
- WHAT NEXT?

Curious to learn more?

Connect with local experts to delve deeper into this important topic! Share your questions and insights through our inquiry form here:



Send an inquiry

PACKAGING RECYCLABILITY GUIDE 28

WHAT next?

Already a customer?

Go to MyRaflatac to request samples or place orders.



www.myraflatac.com

